



What can the BOTOX® Savings Program do for me?

Eligible, commercially insured patients may pay as little as

of for BOTOX® treatments*

Get answers to other questions inside

3 ways to enroll (or scan QR code)

- 1. Text SAVE to 27747.
- 2. Visit BOTOXSavingsProgram.com.
- 3. Call 1-800-44-B0T0X.





*Eligibility: Available to patients with commercial insurance coverage for BOTOX® (onabotulinumtoxinA) who meet eligibility criteria. This co-pay assistance program is not available to patients receiving prescription reimbursement under any federal, state, or government-funded insurance programs (for example, Medicare [including Part D], Medicare Advantage, Medigap, Medicaid, TRICARE, Department of Defense, or Veterans Affairs programs) or where prohibited by law. Offer subject to change or termination without notice. Restrictions, including monthly maximums, may apply. This is not health insurance. For full Terms and Conditions, visit abbv.ie/bsp-terms or call 1-800-44-BOTOX (800-442-6869) for additional information. To learn about AbbVie's privacy practices and your privacy choices, visit https://abbv.ie/corpprivacy

†Msg&data rates may apply. You are not required to consent as a condition of receiving goods or services. You can reply HELP for help. You can reply STOP to opt out at any time. By texting SAVE to 27747, you agree to AbbVie's SMS Terms and Conditions which can be found at **www.botoxsms.com** and Privacy Policy **http://abbv.ie/corpprivacy**

Safety Considerations:

Effects of BOTOX® may spread hours to weeks after injection, causing serious symptoms. Alert your doctor right away, as difficulty swallowing, speaking, and breathing can be signs of a life-threatening condition. Patients with these conditions before injection are at highest risk. In some cases, the effect of botulinum toxin may spread to other areas of the body, causing serious symptoms, such as muscle weakness, vision changes, eye problems, changes or loss of voice, and loss of bladder control. Side effects may include: allergic reactions; neck and injection-site pain; tiredness; headache; eye problems; drooping eyebrows; upper respiratory tract infection; dry mouth; in adults being treated for urinary incontinence: UTI, inability to empty your bladder on your own, and bacteria, white blood cells, and blood in the urine. Don't receive BOTOX® if there's an infection at the planned injection site, you are allergic to any of the ingredients in BOTOX®, you have had an allergic reaction to any other botulinum toxin product, or you cannot empty your bladder on your own (in those being treated for urinary incontinence who are not routinely catheterizing).

Please see additional Important Safety Information on pages 9-12, including Boxed Warning.







What does the program cover?

The program may help with out-of-pocket (00P) costs in 2 ways:



The cost of your BOTOX®



The cost of your procedure*

Can I use a Specialty Pharmacy (SP)?

Yes, a Specialty Pharmacy may be an option if your insurance coverage allows.

Scan to watch a video about the BOTOX® Savings Program[†]



*For residents of some states, offer applies only to the cost of BOTOX® and not to any related medical service(s).

*Eligibility: Available to patients with commercial insurance coverage for BOTOX® (onabotulinumtoxinA) who meet eligibility criteria. This co-pay assistance program is not available to patients receiving prescription reimbursement under any federal, state, or government-funded insurance programs (for example, Medicare [including Part D], Medicare Advantage, Medigap, Medicaid, TRICARE, Department of Defense, or Veterans Affairs programs) or where prohibited by law. Offer subject to change or termination without notice. Restrictions, including monthly maximums, may apply. This is not health insurance. For full Terms and Conditions, visit abbv.ie/bsp-terms or call 1-800-442-6869) for additional information. To learn about AbbVie's privacy practices and your privacy choices, visit https://abbv.ie/corpprivacy

Please see Important Safety Information on pages 9-12, including Boxed Warning.







How do I know if I'm eligible?

You may be eligible if you meet all of the following criteria*:

- Receive BOTOX® for an FDA-approved indication
- Have commercial insurance
- Are not enrolled in or eligible for Medicare, Medicaid, or other federal or state healthcare programs
- Are 18 years or older (or are the parent or caregiver)
- Receive treatment in the United States or its territories.

If I'm eligible, what do I do next?

Visit **BOTOXSavingsProgram.com** to enroll or text SAVE to 27747.[†]

What is commercial (private) insurance?

- **It's insurance:** You buy on your own
 - Provided by your employer
 - You purchase through the Affordable Care Act or insurance marketplace

What if I'm not eligible?

- Do you have Medicare? You may qualify for assistance. Learn more: www.ssa.gov/benefits/medicare/prescriptionhelp.html
- If you are uninsured or unable to afford your medication, you may qualify for our Patient Assistance Program (PAP). Find out by calling 1-800-44-B0T0X

*Msg&data rates may apply. You are not required to consent as a condition of receiving goods or services. You can reply HELP for help. You can reply STOP to opt out at any time. By texting SAVE to 27747, you agree to AbbVie's SMS Terms and Conditions which can be found at www.botoxsms.com and Privacy Policy http://abbv.ie/corpprivacy.

Please see Important Safety Information on pages 9-12, including Boxed Warning.

^{*}Other terms and conditions apply.







How do I submit a claim?



If you pay your doctor for your BOTOX®:

- 1 Once you've enrolled, submit a claim on **BOTOXSavingsProgram.com** after each treatment.
- 2 Upload your Explanation of Benefits (EOB) from your insurance provider or Remittance Advice (RA) from your healthcare provider showing that you were treated with BOTOX® for an approved indication and that the treatment was submitted to your insurance provider.
- 3 Upon approval, receive a check in the mail in just 2–3 weeks.



Is there a time limit to submit my claim?

Be sure to submit your claim within 6 months (180 days) of your BOTOX® treatment.

Ready to see if you can lower your out-of-pocket costs?

Visit BOTOXSavingsProgram.com to get started today

Please see Important Safety Information on pages 9-12, including Boxed Warning.







How do I submit a claim? (continued)



If you pay your Specialty Pharmacy for your BOTOX®:

- 1 To cover the cost of the BOTOX® your doctor ordered, provide the information from your digital Specialty Pharmacy Card when the SP calls for payment.
- 2 To be reimbursed for the procedure, submit your new claim on **BOTOXSavingsProgram.com** after each treatment, uploading an Explanation of Benefits (EOB) from your insurance provider or Remittance Advice (RA) from your healthcare provider.*
- 3 Upon approval, receive a check in the mail in just 2-3 weeks.

Reminder: Be ready to provide the information from your card when the SP calls for payment.

You can access your digital Specialty Pharmacy Card in your program dashboard once you've enrolled at BOTOXSavingsProgram.com.

GRP# and ID# are specific to your profile and remain the same throughout your treatment.

Card is available digitally in your BOTOX® Savings Program dashboard. Your personalized card can also be found in your welcome email and/or text message if you opted in.

Please see Important Safety Information on pages 9-12, including Boxed Warning.

BOTOX вотох SAVINGS **Specialty Pharmacy Card** You may pay as little as CHANGE HEALTHCARE O for BOTOX® treatments Eligibility: Available to patients with commercial insurance coverage for BOTOX® (onabotulinumtoxinA) who meet eligibility criteria. This co-pay assistance program is not available to patients receiving prescription reimbursement under any federal, state, or 600426 BIN: government-funded insurance programs (for example, Medicare Including Part D), Medicare Advantage, Medigap, Medicaid, PCN: 54 TRICARE, Department of Defense, or Veterans Affairs programs) or where prohibited by law. Offer subject to change or termination without notice. Restrictions, including monthly maximums, may apply. This is not health insurance. For full Terms and Conditions, visit abbvie/bsp-terms or call 1-800-44-B0TOX (800-442-6869) GRP#: [ECXXXXXXXX] ID#: [XXXXXXXXXX] for additional information. To learn about AbbVie's privacy practices and your privacy choices, visit https://abbv.ie/corpprivacy

^{*}For residents of some states, offer applies only to the cost of BOTOX® and not to any related medical service(s).








Can I check the status of my claim?

Yes! You can track your claims online with your personal dashboard.



Please see Important Safety Information on pages 9-12, including Boxed Warning.







Does the BOTOX® Savings Program offer extra support?

In addition to savings, take advantage of helpful support and resources at BOTOXSavingsProgram.com.



Get reminders to schedule upcoming BOTOX® appointments



Track current BSP claims and view previous claims



Access support from BSP specialists



Receive notifications/ alerts via text message or email

Please see Important Safety Information on pages 9-12, including Boxed Warning.







Frequently asked questions

What does the program cover?

Eligible, commercially insured patients may get money back on any out-of-pocket (OOP) treatment costs to help cover their co-pay, co-insurance, or deductible.

How do I file a claim?

- **1.** Enroll at **BOTOXSavingsProgram.com** or call **1-800-44-BOTOX**.
- 2. Complete your treatment. Wait to receive your Explanation of Benefits (EOB) from your insurance company, or request a Remittance Advice (RA) document from your doctor's office.
- **3.** Enter your treatment details on the website and upload your EOB or RA and any other documents to show your out-of-pocket (OOP) costs and prove you were treated for an FDA-approved indication.
- **4.** Upon approval, you will be mailed a check for your OOP costs up to the allowed amount. Expect to receive your check 2-3 weeks after submitting your claim as long as documentation is complete. Upon approval, you will be mailed a check for your OOP costs up to the allowed amount.

We will keep you updated at each step of the way by mail, email, and text message (if you opted-in to receive text messages) so you know where your claim is at any time. You will be notified if we need additional information. You can also log in to **BOTOXSavingsProgram.com** to check the status of your claim.

Be sure to submit a claim and follow the same process after every future treatment with BOTOX®.

What if I use a Specialty Pharmacy (SP)?

After enrolling at BOTOXSavingsProgram.com, you should receive a welcome email with your digital SP Card details.

To make things easier, enroll in the BOTOX® Savings Program prior to your treatment. This will allow you to have access to your digital SP Card right away. This could avoid any out-of-pocket costs upfront.

How does using an SP work?

- **1.** Your physician will send the BOTOX® prescription to the SP to be filled.
- 2. When your SP calls you to collect your out-of-pocket (OOP) responsibility (co-pay/co-insurance), simply provide the BIN, PCN, GRP#, and ID# from your digital SP Card to the SP. The SP applies the eligible benefit from the digital SP Card toward your OOP.
- **3.** After treatment, you may still submit an Explanation of Benefits (EOB) from your insurance provider or Remittance Advice (RA) document from your doctor's office for reimbursement of procedure expenses (if you have not already reached the maximum benefit)* at **BOTOXSavingsProgram.com**. For each additional treatment, repeat step 2 above.

Please see Important Safety Information on pages 9-12, including Boxed Warning.

^{*}For residents of some states, offer applies only to the cost of BOTOX® and not to any related medical service(s).







Frequently asked questions (continued)

What is an Explanation of Benefits (EOB)?

An EOB, or Explanation of Benefits, is a statement from your insurance plan describing what costs it will cover for your BOTOX® treatment and if you have any out-of-pocket costs. EOBs can also be referred to as Summary of Benefits, Claim Details, or Coverage Determination. After your BOTOX® treatment, you will receive an EOB from your insurance company. EOBs are sent by mail or email. The EOB may also be available to download on your payer portal. This usually occurs within one month after treatment depending on how long it takes for your medical claim to be submitted to the insurance company by your medical provider.

What is a Remittance Advice (RA)?

A Remittance Advice (RA) document describes what costs the health insurance plan will cover for your BOTOX® treatment and if you have any out-of-pocket costs. After your BOTOX® treatment, you may request an RA from your doctor's office. The RA will usually be available within one month after treatment. The time is often dependent on how long it takes for your medical claim to be submitted to your insurance company by your medical provider.

What if I still have questions about the BOTOX® Savings Program?

You can speak with a representative Monday through Friday from 8 AM to 8 PM ET by calling **1-800-44-BOTOX**.

IMPORTANT SAFETY INFORMATION

BOTOX® (onabotulinumtoxinA) may cause serious side effects that can be life threatening. Get medical help right away if you have any of these problems any time (hours to weeks) after injection of BOTOX:

- **Problems swallowing, speaking, or breathing,** due to weakening of associated muscles, can be severe and result in loss of life. You are at the highest risk if these problems are preexisting before injection. Swallowing problems may last for several months.
- Spread of toxin effects. The effect of botulinum toxin may affect areas away from the injection site and cause serious symptoms, including loss of strength and all-over muscle weakness; double vision; blurred vision; drooping eyelids; hoarseness or change or loss of voice; trouble saying words clearly; loss of bladder control; trouble breathing; and trouble swallowing.

INDICATIONS

BOTOX is a prescription medicine that is injected into muscles and used:

• To treat overactive bladder symptoms such as a strong need to urinate with leaking or wetting accidents (urge urinary incontinence), a strong need to urinate right away (urgency), and urinating often (frequency) in adults 18 years and older when another type of medicine (anticholinergic) does not work well enough or cannot be taken

Please see additional Important Safety Information on pages 10-12, including Boxed Warning.







INDICATIONS (continued)

- To treat leakage of urine (incontinence) in adults 18 years and older with overactive bladder due to a neurologic disease when another type of medicine (anticholinergic) does not work well enough or cannot be taken
- To treat overactive bladder due to a neurologic disease in children 5 years of age and older when another type of medicine (anticholinergic) does not work well enough or cannot be taken
- To prevent headaches in adults with chronic migraine who have 15 or more days each month with headache lasting 4 or more hours each day in people 18 years and older
- To treat increased muscle stiffness in people 2 years of age and older with spasticity
- To treat the abnormal head position and neck pain that happens with cervical dystonia (CD) in people 16 years and older
- To treat certain types of eye muscle problems (strabismus) or abnormal spasm of the eyelids (blepharospasm) in people 12 years of age and older

BOTOX is also injected into the skin to treat the symptoms of severe underarm sweating (severe primary axillary hyperhidrosis) when medicines used on the skin (topical) do not work well enough in people 18 years and older.

It is not known whether BOTOX is safe and effective to prevent headaches in patients with migraine who have 14 or fewer headache days each month (episodic migraine).

BOTOX has not been shown to help people perform task-specific functions with their upper limbs or increase movement in joints that are permanently fixed in position by stiff muscles.

It is not known whether BOTOX is safe and effective for severe sweating anywhere other than your armpits.

IMPORTANT SAFETY INFORMATION (continued)

There has not been a confirmed serious case of spread of toxin effect away from the injection site when BOTOX has been used at the recommended dose to treat chronic migraine, severe underarm sweating, blepharospasm, or strabismus.

BOTOX may cause loss of strength or general muscle weakness, vision problems, or dizziness within hours to weeks of receiving BOTOX. **If this happens, do not drive a car, operate machinery, or do other dangerous activities.**

Do not receive BOTOX if you are allergic to any of the ingredients in BOTOX (see Medication Guide for ingredients); had an allergic reaction to any other botulinum toxin product such as Myobloc® (rimabotulinumtoxinB), Dysport® (abobotulinumtoxinA), Xeomin® (incobotulinumtoxinA), Jeuveau® (prabotulinumtoxinA-xvfs), Daxxify® (daxibotulinumtoxinA-lanm), or Letybo® (letibotulinumtoxinA-wlbg) (this may not be a complete list of all botulinum toxin products); have a skin infection at the planned injection site.

Do not receive BOTOX for the treatment of urinary incontinence if you have a urinary tract infection (UTI) or cannot empty your bladder on your own and are not routinely catheterizing. Due to the risk of urinary retention (difficulty fully emptying the bladder), only patients who are willing and able to initiate catheterization posttreatment, if required, should be considered for treatment.

Please see additional Important Safety Information on pages 11-12, including Boxed Warning.







IMPORTANT SAFETY INFORMATION (continued)

Patients treated for overactive bladder: In clinical trials, 36 of the 552 patients had to self-catheterize for urinary retention following treatment with BOTOX compared to 2 of the 542 treated with placebo. The median duration of postinjection catheterization for these patients treated with BOTOX 100 Units (n = 36) was 63 days (minimum 1 day to maximum 214 days), as compared to a median duration of 11 days (minimum 3 days to maximum 18 days) for patients receiving placebo (n = 2). Patients with diabetes mellitus treated with BOTOX were more likely to develop urinary retention than nondiabetics.

Adult patients treated for overactive bladder due to a neurologic disease: In clinical trials, 30.6% of adult patients (33/108) who were not using clean intermittent catheterization (CIC) prior to injection required catheterization for urinary retention following treatment with BOTOX 200 Units, as compared to 6.7% of patients (7/104) treated with placebo. The median duration of postinjection catheterization for these patients treated with BOTOX 200 Units (n = 33) was 289 days (minimum 1 day to maximum 530 days), as compared to a median duration of 358 days (minimum 2 days to maximum 379 days) for patients receiving placebo (n = 7).

Among adult patients not using CIC at baseline, those with multiple sclerosis were more likely to require CIC postinjection than those with spinal cord injury.

The dose of BOTOX is not the same as, or comparable to, another botulinum toxin product. Serious and/or immediate allergic reactions have been reported, including itching; rash; red, itchy welts; wheezing; asthma symptoms; dizziness; or feeling faint. Get medical help right away if you experience symptoms; further injection of BOTOX should be discontinued.

Tell your doctor about all your muscle or nerve conditions, such as ALS or Lou Gehrig's disease, myasthenia gravis, or Lambert-Eaton syndrome, as you may be at increased risk of serious side effects, including difficulty swallowing and difficulty breathing from typical doses of BOTOX. **Tell your doctor if you have any breathing-related problems.** Your doctor may monitor you for breathing problems during treatment with BOTOX for spasticity or for detrusor overactivity associated with a neurologic condition. The risk of developing lung disease in patients with reduced lung function is increased in patients receiving BOTOX.

Cornea problems have been reported. Cornea (surface of the eye) problems have been reported in some people receiving BOTOX for their blepharospasm, especially in people with certain nerve disorders. BOTOX may cause the eyelids to blink less, which could lead to the surface of the eye being exposed to air more than is usual. Tell your doctor if you experience any problems with your eyes while receiving BOTOX. Your doctor may treat your eyes with drops, ointments, contact lenses, or with an eye patch.

Bleeding behind the eye has been reported. Bleeding behind the eyeball has been reported in some people receiving BOTOX for their strabismus. Tell your doctor if you notice any new visual problems while receiving BOTOX.

Bronchitis and upper respiratory tract infections (common colds) have been reported. Bronchitis was reported more frequently in adults receiving BOTOX for upper limb spasticity. Upper respiratory infections were also reported more frequently in adults with prior breathing-related problems with spasticity. In pediatric patients treated with BOTOX for upper limb spasticity, upper respiratory tract infections were reported more frequently. In pediatric patients treated with BOTOX for lower limb spasticity, upper respiratory tract infections were not reported more frequently than placebo.

Please see additional Important Safety Information on page 12, including Boxed Warning.

Please see Consumer Brief Summary, including Boxed Warning, at https://www.rxabbvie.com/content/dam/rxabbvie/cbs/botox-therapeutic_ecbs.pdf or visit https://www.rxabbvie.com/pdf/botox_pi.pdf for full Prescribing Information.







IMPORTANT SAFETY INFORMATION (continued)

Autonomic dysreflexia in patients treated for overactive bladder due to a neurologic disease. Autonomic dysreflexia associated with intradetrusor injections of BOTOX could occur in patients treated for detrusor overactivity associated with a neurologic condition and may require prompt medical therapy. In clinical trials, the incidence of autonomic dysreflexia was greater in adult patients treated with BOTOX 200 Units compared with placebo (1.5% versus 0.4%, respectively).

Tell your doctor about all your medical conditions, including if you have or have had bleeding problems; have plans to have surgery; had surgery on your face; have weakness of forehead muscles, trouble raising your eyebrows, drooping eyelids, and any other abnormal facial change; have symptoms of a UTI and are being treated for urinary incontinence (symptoms of a UTI may include pain or burning with urination, frequent urination, or fever); have problems emptying your bladder on your own and are being treated for urinary incontinence; are pregnant or plan to become pregnant (it is not known if BOTOX can harm your unborn baby); are breastfeeding or plan to (it is not known if BOTOX passes into breast milk).

Tell your doctor about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Using BOTOX with certain other medicines may cause serious side effects. **Do not start any new medicines until you have told your doctor that you have received BOTOX in the past.**

Tell your doctor if you received any other botulinum toxin product in the last 4 months; have received injections of botulinum toxin such as Myobloc®, Dysport®, Xeomin®, Jeuveau®, Daxxify®, or Letybo® in the past (this may not be a complete list of all botulinum toxin products; tell your doctor exactly which product you received); have received an antibiotic by injection; take muscle relaxants; take an allergy or cold medicine; take a sleep medicine; take aspirin-like products or blood thinners.

Other side effects of BOTOX include dry mouth; discomfort or pain at the injection site; tiredness; headache; neck pain; eye problems such as double vision, blurred vision, decreased eyesight, drooping eyelids, swelling of your eyelids, and dry eyes; drooping eyebrows; and upper respiratory tract infection. In adults being treated for urinary incontinence, other side effects include UTI and painful urination. In children being treated for urinary incontinence, other side effects include UTI; bacteria, white blood cells, and blood in the urine. In patients being treated for urinary incontinence, another side effect includes the inability to empty your bladder on your own. If you have difficulty fully emptying your bladder on your own after receiving BOTOX, you may need to use disposable self-catheters to empty your bladder up to a few times each day until your bladder is able to start emptying again. For more information, refer to the Medication Guide or talk with your doctor.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088. If you are having difficulty paying for your medicine, AbbVie may be able to help. Visit AbbVie.com/PatientAccessSupport to learn more.





What's inside? Benefits of the BOTOX® Savings Program* How to check your eligibility Steps to submit a claim. How to track your claim Go to BOTOXSavingsProgram.com or scan to enroll

*Eligibility: Available to patients with commercial insurance coverage for BOTOX® (onabotulinumtoxinA) who meet eligibility criteria. This co-pay assistance program is not available to patients receiving prescription reimbursement under any federal, state, or government-funded insurance programs (for example, Medicare [including Part D], Medicare Advantage, Medigap, Medicaid, TRICARE, Department of Defense, or Veterans Affairs programs) or where prohibited by law. Offer subject to change or termination without notice. Restrictions, including monthly maximums, may apply. This is not health insurance. For full Terms and Conditions, visit abbv.ie/bsp-terms or call 1-800-44-BOTOX (800-442-6869) for additional information. To learn about AbbVie's privacy practices and your privacy choices, visit https://abbv.ie/corpprivacy

Please see Important Safety Information on pages 9-12, including Boxed Warning.

