

Getting Your Child Started on BOTOX[®]

Learn how BOTOX[®] can help children 2 to 17 years of age with Pediatric Spasticity

INDICATION

BOTOX[®] (onabotulinumtoxinA) is a prescription medicine that is injected into muscles and used to treat increased muscle stiffness in people 2 years of age and older with spasticity.

BOTOX has not been shown to help people perform task-specific functions with their upper limbs or increase movement in joints that are permanently fixed in position by stiff muscles.

IMPORTANT SAFETY INFORMATION

BOTOX may cause serious side effects that can be life threatening. Get medical help right away if you have any of these problems any time (hours to weeks) after injection of BOTOX:

- **Problems swallowing, speaking, or breathing**, due to weakening of associated muscles, can be severe and result in loss of life. You are at the highest risk if these problems are preexisting before injection. Swallowing problems may last several months.
- **Spread of toxin effects.** The effect of botulinum toxin may affect areas away from the injection site and cause serious symptoms, including loss of strength and all-over muscle weakness; double vision; blurred vision; drooping eyelids; hoarseness or change or loss of voice; trouble saying words clearly; loss of bladder control; trouble breathing; and trouble swallowing.

Please see additional Indications and Important Safety Information inside.

Please click here for [Consumer Brief Summary](#) or visit https://www.rxabbvie.com/pdf/botox_pi.pdf for Full Prescribing Information.

What is spasticity?

Spasticity is a debilitating condition that causes muscles in the arms and legs to involuntarily tense up, causing:

- Muscle tightness and stiffness
- Uncontrollable twitches or spasms

Nearly
80%
of children with
cerebral palsy
have spasticity
(N = 451)



BOTOX® is an important treatment option for children 2 to 17 years of age experiencing spasticity associated with cerebral palsy or stroke.

INDICATIONS (continued)

BOTOX is a prescription medicine that is injected into muscles and used to treat certain types of eye muscle problems (strabismus) or abnormal spasm of the eyelids (blepharospasm) in people 12 years of age and older.

IMPORTANT SAFETY INFORMATION (continued)

There has not been a confirmed serious case of spread of toxin effect away from the injection site when BOTOX has been used at the recommended dose to treat chronic migraine, severe underarm sweating, blepharospasm or strabismus.

BOTOX may cause loss of strength or general muscle weakness, vision problems, or dizziness within hours to weeks of receiving BOTOX. **If this happens, do not drive a car, operate machinery, or do other dangerous activities.**


Do not receive BOTOX if you are allergic to any of the ingredients in BOTOX (see Medication Guide for ingredients); had an allergic reaction to any other botulinum toxin product such as Myobloc® (rimabotulinumtoxinB), Dysport® (abobotulinumtoxinA), Xeomin® (incobotulinumtoxinA), Jeuveau® (prabotulinumtoxinA-xvfs), Daxxify® (daxibotulinumtoxinA-lanm), or Letybo® (letibotulinumtoxinA-wlbg) (this may not be a complete list of all botulinum toxin products); have a skin infection at the planned injection site.

What is BOTOX®?

BOTOX® is approved by the FDA to treat spasticity of the arms and legs in children 2 to 17 years of age. Doctors have been using it to help people 12 years and older since 1989 when it was approved to treat certain types of eye muscle problems (Strabismus) or abnormal spasm of the eyelids (Blepharospasm).

BOTOX® works by temporarily blocking nerve signals that cause muscle stiffness. This helps reduce spasticity in your child's arms and/or legs

BOTOX® is injected by a doctor directly into stiff muscles of the arms and/or legs that are affected by spasticity. This is different from other oral medications your child may take



IMPORTANT SAFETY INFORMATION (continued)

The dose of BOTOX is not the same as, or comparable to, another botulinum toxin product.

Serious and/or immediate allergic reactions have been reported, including itching; rash; red, itchy welts; wheezing; asthma symptoms; dizziness; or feeling faint. Get medical help right away if you experience symptoms; further injection of BOTOX should be discontinued.

Please see additional Important Safety Information on following pages.

What should you and your child expect from BOTOX[®] treatment?



Treatment takes place in an office or hospital, depending on your child's needs.

Fine needles are used, but they may cause some discomfort.



Affected muscles are injected.

You and your child may notice results within 4 to 6 weeks after injection.



BOTOX[®] is not a cure. Your child may need to return for retreatment no sooner than 12 weeks after the previous treatment, as determined by your child's doctor.

IMPORTANT SAFETY INFORMATION (continued)

Tell your doctor about all your muscle or nerve conditions, such as ALS or Lou Gehrig's disease, myasthenia gravis, or Lambert-Eaton syndrome, as you may be at increased risk of serious side effects, including difficulty swallowing and difficulty breathing from typical doses of BOTOX.

Tell your doctor if you have any breathing-related problems. Your doctor may monitor you for breathing problems during your treatment with BOTOX for spasticity. The risk of developing lung disease in patients with reduced lung function is increased in patients receiving BOTOX.

Please see additional Important Safety Information on following pages.

How can you save on the cost of BOTOX[®] for your child?



BOTOX[®]
SAVINGS
PROGRAM

Parents of patients may

PAY \$0 for BOTOX[®] treatments
as little as

By participating in the BOTOX[®] Savings Program, you acknowledge and agree to the full Terms & Conditions set out at BOTOXsavingsprogram.com/TermsandConditions. Patients enrolled in Medicare, Medicaid, TRICARE, or any other government reimbursed healthcare program are not eligible. Other restrictions and maximum limits apply.

The BOTOX[®] Savings Program helps eligible patients receive money back on any co-pay, co-insurance, or deductible costs associated with their BOTOX[®] procedure. Terms and conditions apply.

Text* **SAVE** to 27747 or visit
BOTOXsavingsprogram.com to get started

*See Privacy & Terms: BOTOXsavingsprogram.com/eligibility. Message & data rates may apply. Message frequency may vary. Text HELP for help, STOP to end.

What questions should you ask your child's doctor?



Use every opportunity to better understand
all aspects of BOTOX®.

Here are some questions you may want to ask:

- What can my child expect from BOTOX® treatment and when will we see results?
- How should I explain BOTOX® therapy to my child?
- What's your personal experience with BOTOX®?
- Where will BOTOX® be injected?
- How small are the needles used for injection?
- What do the injections feel like?
- How long will the procedure take?
- Can I stay with my child during treatment?
- How can we make my child comfortable for the procedure?
- What are the possible side effects?
- When will my child come back for retreatment?

IMPORTANT SAFETY INFORMATION (continued)

Cornea problems have been reported. Cornea (surface of the eye) problems have been reported in some people receiving BOTOX for their blepharospasm, especially in people with certain nerve disorders. BOTOX may cause the eyelids to blink less, which could lead to the surface of the eye being exposed to air more than is usual. Tell your doctor if you experience any problems with your eyes while receiving BOTOX. Your doctor may treat your eyes with drops, ointments, contact lenses, or with an eye patch.

Bleeding behind the eye has been reported. Bleeding behind the eyeball has been reported in some people receiving BOTOX for their strabismus. Tell your doctor if you notice any new visual problems while receiving BOTOX.

Upper respiratory tract infections (common colds) have been reported. In pediatric patients treated with BOTOX for upper limb spasticity, upper respiratory tract infections were reported more frequently. In pediatric patients treated with BOTOX for lower limb spasticity, upper respiratory tract infections were not reported more frequently than placebo.

What are the possible side effects?



These are the most common side effects
seen in clinical studies for Pediatric Spasticity

Upper Limb Spasticity:

- Upper respiratory tract infection*
- Stuffy and runny nose
- Injection-site pain
- Constipation
- Nausea
- Seizure†

Lower Limb Spasticity:

- Skin redness or pain at the injection site
- Mouth or throat pain
- Joint sprain
- Skin wounds
- Decreased appetite

*Includes viral upper respiratory tract infection.

†Includes partial seizure.

These occurred in $\geq 2\%$ of patients treated with BOTOX® at 6 Units/kg (Pediatric Upper Limb Spasticity) or 8 Units/kg (Pediatric Lower Limb Spasticity).

This list does not cover all the possible serious side effects of BOTOX®. Please see the Summary of Information about BOTOX®, the Important Safety Information, and talk to your child's doctor.

IMPORTANT SAFETY INFORMATION (continued)

Tell your doctor about all your medical conditions, including if you have or have had bleeding problems; have plans to have surgery; had surgery on your face; have weakness of forehead muscles, trouble raising your eyebrows, drooping eyelids, and any other abnormal facial change; are pregnant or plan to become pregnant (it is not known if BOTOX can harm your unborn baby); are breastfeeding or plan to (it is not known if BOTOX passes into breast milk).

Please see additional Important Safety Information on following pages.

What does a BOTOX[®] treatment plan look like?



First treatment

- The doctor may discuss treatment goals with you and your child and help set realistic expectations
- The doctor may explain that it could take more than 1 treatment to determine the muscles and BOTOX[®] dose that is right for your child
- Before leaving the office, you may want to schedule your child's follow-up appointment. You can also schedule their retreatment appointment if the doctor recommends another treatment session



Between treatments

- The doctor may ask you to return for a follow-up visit about 4-6 weeks after your child's first treatment to see how they have responded to BOTOX[®]
- The office may confirm your child's next treatment appointment before you leave if the doctor recommends retreatment



Additional treatments

- If your child's doctor recommends retreatment, he/she will advise you on when to come back (generally no sooner than 12 weeks after the first treatment)
- You may want to use this time to tell the doctor about any changes in your child's spasticity, such as reduced muscle tightness. It's a good idea to be open, honest, and to share as much information as possible
- Based on what is shared, the doctor may decide on the best course of action for any future treatment sessions
- Before leaving, you may want to schedule your child's next follow-up visit as well as their next treatment session, depending on what the doctor has recommended

IMPORTANT SAFETY INFORMATION (continued)

Tell your doctor about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Using BOTOX with certain other medicines may cause serious side effects. **Do not start any new medicines until you have told your doctor that you received BOTOX in the past.**

Please see additional Important Safety Information on following pages.



Questions between visits?

Don't hesitate to call your doctor.

Are there patient organizations that offer support?

There are many groups that advocate for patients and can offer additional guidance and resources.



Cerebral Palsy Foundation

YourCPF.org
info@yourcpf.org



Child Neurology Foundation

ChildNeurologyFoundation.org
info@childneurologyfoundation.org



United Cerebral Palsy (UCP)

UCP.org



BOTOX
onabotulinumtoxinA injection

BOTOX® Savings Program Terms and Conditions

Program Terms, Conditions, and Eligibility Criteria: **1.** Offer good only with a valid prescription for BOTOX® (onabotulinumtoxinA). **2.** Based on insurance coverage, reimbursement may be up to \$1000 per treatment with a maximum savings limit of \$4000 per year; patient out-of-pocket expense may vary. **3.** Offer not valid for (a) patients enrolled in Medicare, Medicaid, TRICARE or any other government-reimbursed healthcare program (including any state pharmaceutical assistance programs), or private indemnity or HMO insurance plans that reimburse for the entire cost of prescription drugs; (b) patients who are Medicare-eligible and enrolled in an employer-sponsored health plan or prescription drug benefit program for retirees; (c) cash-paying patients. **4.** Offer valid for up to 5 treatments over a 12-month period. **5.** Offer valid only for BOTOX® and BOTOX® treatment-related costs not covered by insurance. For residents of Massachusetts and Rhode Island, offer applies only to the cost of BOTOX® and not to any related medical service(s). **6.** Claims must be submitted within 180 days of treatment date and must include a copy of (a) an Explanation of Benefits (EOB) for the BOTOX® treatment, (b) a Specialty Pharmacy (SP) receipt for BOTOX®, or (c) other writing showing payment of out-of-pocket BOTOX® and treatment-related out-of-pocket costs. **7.** A BOTOX® Savings Program check will be issued to the patient upon approval of a claim. **8.** Allergan® reserves the right to rescind, revoke, or amend this offer without notice. **9.** Offer good only in the USA, including Puerto Rico, at participating retail locations. **10.** Void where prohibited by law, taxed, or restricted. **11.** Offer does not constitute health insurance. **12. By participating in the BOTOX® Savings Program, you acknowledge and agree to the terms and conditions of this program.** **13. Subject to all other terms and conditions, the maximum annual benefit that may be available solely for the patient's benefit under the copay assistance program is \$4000 per calendar year. The actual application and use of the benefit available under the copay assistance program may vary on a monthly, quarterly, and/or annual basis depending on each individual patient's plan of insurance and other prescription drug costs.**

For questions about the program, please call 1-800-44-BOTOX.



These organizations are potential resources and are not endorsed by AbbVie

IMPORTANT SAFETY INFORMATION (continued)

Tell your doctor if you received any other botulinum toxin product in the last 4 months; have received injections of botulinum toxin such as Myobloc®, Dysport®, Xeomin®, Jeuveau®, Daxxify®, or Letybo® in the past (this may not be a complete list of all botulinum toxin products; tell your doctor exactly which product you received); have recently received an antibiotic by injection; take muscle relaxants; take an allergy or cold medicine; take a sleep medicine; take aspirin-like products or blood thinners.

Please see additional Important Safety Information on back cover.



Trust BOTOX® for your child's spasticity

BOTOX® has been helping people since 1989



Following initial US approval of Blepharospasm/Strabismus
in people 12 years and older



BOTOX® is the **world's most-studied**
medicine of its class

BOTOX® is FDA approved to
treat **12 conditions** in the
United States—the most of any
medicine in its class*



*Across therapeutic conditions.

Talk to your child's doctor about BOTOX® today.

IMPORTANT SAFETY INFORMATION (continued)

Other side effects of BOTOX include dry mouth; discomfort or pain at the injection site; tiredness; headache; neck pain; eye problems such as double vision, blurred vision, decreased eyesight, drooping eyelids, swelling of your eyelids, and dry eyes; drooping eyebrows; and upper respiratory tract infection.

For more information refer to the Medication Guide or talk with your doctor.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

Please click here for [Consumer Brief Summary](#), including Boxed Warning, or visit https://www.rxabbvie.com/pdf/botox_pi.pdf for Full Prescribing Information.

If you are having difficulty paying for your medicine, AbbVie may be able to help. Visit AbbVie.com/PatientAccessSupport to learn more.

abbvie

© 2025 AbbVie. All rights reserved. BOTOX® and its design are registered trademarks of Allergan, Inc., an AbbVie company.
US-BN0-250026 04/2025 022252